15.8: Triple Integrals w/ Spherical Coordinates



what is the relationship between (x, y, z) & (ρ, θ, ϕ)



$$\cos(\phi) = \frac{z}{\rho}$$

OR $z = \rho\cos(\phi)$



$$\cos(\phi) = \frac{z}{\rho}$$

$$\sin(\phi) = \frac{r}{\rho}$$

OR $r = \rho\sin(\phi)$

AND $x = r\cos(\theta)$ $\Longrightarrow$ $x = \rho\sin(\phi)\cos(\theta)$

$y = r\sin(\theta)$ $\qquad$ $y = \rho\sin(\phi)\sin(\theta)$

AND $\rho^2 = x^2 + y^2 + z^2$

The differential



$dV = \rho^2 \sin(\phi)\, d\rho\, d\theta\, d\phi$

see cool mathematica graphic

<u>Ex1</u>: ~~Sketch~~ set up integrals ~~to~~ over the regions



wedge of cheese

cylindrical

$$\int_0^{\frac{\pi}{2}}\int_0^3\int_0^2 f(r\cos\theta, r\sin\theta, z)\, r\, dz\, dr\, d\theta$$



top of a sphere w/ a qtr cut out.

spherical

$$\int_0^{\frac{\pi}{2}}\int_{\frac{\pi}{2}}^{2\pi}\int_1^2 f(\rho\sin\phi\cos\theta, \rho\sin\phi\sin\theta, \rho\cos\phi)\cdot \rho^2\sin\phi\, d\rho\, d\theta\, d\phi$$

15.8
3/4

Ex2: Sketch the solid whose volume is given by the integral

$$\int_0^{2\pi}\int_{\frac{\pi}{2}}^{\pi}\int_1^2 \rho^2 \sin\phi \, d\rho \, d\phi \, d\theta$$

& calculate/eval the integral



cantaloup w/ the seeds removed.

$$V = \int_0^{2\pi}\int_{\frac{\pi}{2}}^{\pi} \left[\frac{\rho^3}{3}\sin\phi\right]_1^2 d\phi \, d\theta$$

$$= \int_0^{2\pi}\int_{\frac{\pi}{2}}^{\pi} \frac{8-1}{3} \sin\phi \, d\phi \, d\theta$$

$$= \frac{7}{3}\int_0^{2\pi} \left[-\cos\phi\right]_{\frac{\pi}{2}}^{\pi} d\theta$$

$$= \frac{7}{3}\int_0^{2\pi} (-(-1) - 0) \, d\theta$$

$$= \frac{14}{3}\pi$$

check

$$V = \frac{1}{2}\left(\frac{4}{3}\pi(2)^3 - \frac{4}{3}\pi(1)^3\right)$$

$$= \frac{1}{2}\left(\frac{32\pi}{3} - \frac{4\pi}{3}\right)$$

$$= \frac{28\pi}{6}$$

$$= \frac{14\pi}{3}$$

$\boxed{\begin{array}{c}15.8\\ 4/4\end{array}}$

Ex3: evaluate $\iiint_S xyz \, dV$ where S is bounded ~~by~~ between the spheres $\rho = 2$ & the cone $\phi = \frac{\pi}{3}$

$$V = \int_0^{2\pi} \int_0^{\pi/3} \int_2^4 \rho \sin\phi \cos\theta \, \rho \sin\phi \sin\theta \, \rho \cos\phi \, \rho^2 \sin\phi \, d\rho \, d\phi \, d\theta$$

$$= \int_0^{2\pi} \int_0^{\pi/3} \int_2^4 \rho^5 \sin^3\phi \cos\phi \sin\theta \cos\theta \, d\rho \, d\phi \, d\theta$$

$$= \frac{1}{2} \int_0^{2\pi} \underbrace{2 \sin\theta \cos\theta}_{\sin 2\theta} \, d\theta \int_0^{\pi/3} \sin^3\phi \cos\phi \, d\phi \int_2^4 \rho^5 \, d\rho$$

$$= \left[-\frac{\cos 2\theta}{4} \right]_0^{2\pi} \left[\frac{\sin^4\phi}{4} \right]_0^{\pi/3} \cdot \left[\frac{\rho^6}{6} \right]_2^4$$

$$= \left(-\frac{1}{4} - \left(-\frac{1}{4} \right) \right) \cdot$$

$$= 0$$