Math 220	Name:
Winter 2024 Assessment 2 Dusty Wilson	If others would but reflect on mathematical truths as deeply and continuously as I have, they would make my discoveries.
No work $=$ no credit	Carl Friedrich Gauss (1777-1855) German mathematician
1. Warm-ups	
(a) (1 point) $\vec{e_2}$	(b) (1 point) $\vec{e}_2 \vec{e}_2^T$

- (c) (1 point)  $\vec{e}_2^T \vec{e}_1$
- 2. (1 point) What does Gauss see as the key to his mathematical discoveries? Answer using complete English sentences.
- 3. (7 points) Answer the following in regards to the system below.

$$x_1 + 3x_2 + x_3 = 0$$
  
-4x<sub>1</sub> - 9x<sub>2</sub> + 2x<sub>3</sub> = 0  
-3x<sub>2</sub> - 6x<sub>3</sub> = 0

- (a) (1 point) Write the system as a vector equation.
- (b) (1 point) Write the system as a matrix equation.
- (c) (4 points) Find all solution(s) to this system. Write your answer in vector form

(d) (1 point) The process you used to find solution(s) to this system are an example of seeking

4. (4 points) Write vectors  $\vec{a}$  and  $\vec{b}$  as linear combinations of  $\vec{u}$  and  $\vec{v}$ .



- 5. (6 points) Answer the following:
  - (a) (2 points) What condition must  $\vec{v}_1, \vec{v}_2, ..., \vec{v}_m$  in  $\mathbb{R}^n$  satisfy for the set to be linearly independent?

(b) (2 points) What conditions must  $T(\vec{x}) = A\vec{x}$  satisfy in order to be a linear transformation?

(c) (2 points) True or False: If a set in  $\mathbb{R}^n$  is linearly dependent, then the set contains more vectors than there are entries in each vector. Justify your answer.

6. (4 points) Let  $T : \mathbb{R}^2 \to \mathbb{R}^2$  be a linear transformation such that  $T(\begin{bmatrix} x_1 \\ x_2 \end{bmatrix}) = \begin{bmatrix} x_1 + x_2 \\ 4x_1 + 5x_2 \end{bmatrix}$ . Find  $\vec{x}$  such that  $T(\vec{x}) = \begin{bmatrix} 3 \\ 8 \end{bmatrix}$ .

7. (4 points) Prove the following.

<u>Claim</u>: For all  $\vec{u}$  in  $\mathbb{R}^n$  and all scalars c and d:  $(c+d)\vec{u} = c\vec{u} + d\vec{u}$