MS 365 Excel Basics #1

Adding & Counting with Functions like SUMIFS, COUNTIFS, COUNT, ROWS and IF

Table of Contents

What is Excel?	2
Cursors	
Put data or formula in cell with Keyboards	
Excel's Golden Rule:	
Formatting:	5
Creating formulas	5
Types of Formulas	6
Functions shown in video:	6
Page Setup:	7
Useful keyboards:	
XLOOKUP Function arguments	Error! Bookmark not defined.
Video Example	9

What is Excel?

- Two-way grid
- Column = Letter
- Row = Number
- Cell = Intersection of column and row
- Worksheet = Sheet = All cells
 - Sheet Tab = Name of worksheet. You can select (or activate) a worksheet with your mouse cursor.
 - \circ $\;$ Keyboard to move (activate) the next sheet:
 - Ctrl + PgDn = move to right and activate next sheet
 - Ctrl + PgUp = move to left and activate next sheet
 - Open Activate dialog box: Right-click Scroll Arrows
- Workbook = File = All worksheets (and other behind the scenes things such as: (Queries, Data Model and VBA)
- Excel does two things:
 - o Calculations, like Worksheet Formula
 - Data Analysis, like PivotTable
- Ribbon has tabs, tabs have groups and groups have buttons and dropdowns to enact commands
- QAT (Quick Access Toolbar) has buttons to enact commands
- Default Alignment indicates Data Type:
 - o Text is aligned to left
 - Numbers are aligned to right
 - Logical Values (Boolean) are aligned center and Capitalized
 - Error Message is centered
- Number Formatting is a façade:
 - Number Formatting can be found in the Number group in the Home Ribbon tab
 - Number Formatting displays a number in a certain way on the surface of the cell, without changing the underlying number.
 - \circ $\;$ Formulas do not see Number Formatting. Formulas act on the underlying number.
 - You must use the ROUND function to change the underlying number and actually round the number.
 - Use the General Number Formatting to wipe away all Number Formatting and see what number is actually in the cell.
- Picture on next page:

	Н	J	К	L	М	N	0	Р	Q	R	S	Т	U	V	W		
1	8	What is Ex	cel?			2	8		8	Key	board t	to move (ac	tivate) th	e next sheet:			
2	1	Two-way grid // Ctrl + PgDn = move to right and activate next sheet															
3	2	Column =	Letter						/	Ctr	I + PgU	p = move to	left and	activate next	sheet		
4	3	Row = Nur	mber						/	Ope	en Activ	ate dialog b	oox: Righ	t-click Scroll A	rrows		
5	4	Cell = Inte	rsection of Co	olumn and Row						08350							
6	5	Workshee	t = All Cells														
7	6	Sheet Tab	= Name of W	orksheet. You can s	elect (or activ	ate) a work	sheet with v	our mouse	cursor.								
8	7	Workbook	= File = All W	orksheets (and oth	er behind the	scenes thin	es such as:	Oueries, D	ata Model and V	(BA)							
9	8	Excel does	two things:	1) Calculations, like	Worksheet Fo	rmula, and	2) Data Ana	lysis, like P	ivotTable								
10	8 T		or	-,,,,,,,,,			-/	· · · · · · · · · · · · · · · · · · ·									
11	1)	Sales	1						2)	Pro	duct	Sales		Product	Sum of Sales		
12	-/	3							-1	Qua	ad	23	2	Carlota	137		
13		4	t							Car	lota	67	10. 	Ouad	75		
14		5	t							Car	lota	46	20	Grand Total	212		
15	Total:	A 12	t	=SUM(112:114)	Worksheet Fo	ormula that	result in tex	d answer		Ouz	ad	9	-9	orana rotar			
16			1							Ouz	ad	43	22				
17		Workshee	t Formula tha	t results in number	answer					Car	dota	24					
18		Workshee	er ormala ene	it results in number	unswei					Cur	1010	24					
19	9	Ribbon ha	s tabs tabs h	ave groups and grou	ins have butto	ons and dro	ndowns to e	enact comr	nands								
20	10	OAT (Quic	k Access Tool	har) has buttons to	enact comma	nds	paorino co a		id i id s								
21	11	Default Ali	ignment indic	ates Data Type:	chaoc commu	105											
22		Text is alig	ned to left	and bate ()per													
23		Numbers	are aligned to	right													
24		Logical Va	lues (Boolean) are aligned center	and Canitaliz	ed											
25		Error Mes	sage is center	red	und copicaliz									Database Fr	mort		
26		LITOT MICS	Suge is center	cu										35	25		
27		Tovt	Word	Excel			Word							80			
20		Number	42	2.00 AM	2/2/2025		12 12	8.00 AM	12/21/202	4				12			
20		Logical:	TRUE	EALSE	2/3/2023		43.12	0.00 AN	12/31/202				Total?	12	1		
30		Error	#DIV/01	TABL									rotar.	-SUM(V26-)	(28)		
21		LITUI	#01070:											-30141(420.4	,20)		
32	12	Number F	ormatting is a	facade Number Fr	rmatting disp	lavs a num	oer in a cert	ain way on	the surface of th	ne cell w	vithout	changing th	e underh	ving number			
22	12	Formulas	do not see Nu	imber Formatting F	ormulas act o	n the unde	dving numb	or	the surface of th	ie cen, w	nenour	changing th	e under	ang number.			
34		Tornulas	do not see No	iniber i ormatting. i	ormulas act o	in the unde	Tying numb	E (,									
35		Salos		1	Salos		Tay Rate	Salas	Tav Ś								
26		2			2		0.0275	100	27	5							
37		1			1		0.0375	100	-P36*036	<u> </u>							
38		4	-		4												
39	Total:	12	<= Which	i one is right? =>	13		#1 most as	k question	in online Excel fo	ormulas	for dec	ades is abou	ut Numbe	er Formattin <mark>g</mark> .			
41	55 	* Use the	General Num	ber Formatting to w	ripe away all N	lumber For	matting and	see what	number is actual	ly in the	cell.						

Cursors



- o Use Angry Rabbit to increment Text and Numbers, Dates, Numbers, Months and more
- o Use it to copy numbers and formulas

Put data or formula in cell with Keyboards

- Enter = Put thing in cell and move selected cell down
- Ctrl + Enter = Put thing in cell and keep cell selected
- Tab = Put thing in cell and move selected cell to right
- Shift + Enter = Put thing in cell and move selected cell up
 - Enter data into selected range: Enter moves down until last cell and then jumps to top of next column.

Excel's Golden Rule:

- If a formula input can change, put it in a cell, label it, and refer to it in the formula with a cell reference. If the input will never change, like 24 hours in a day, then you can hard code it into formula.
 - Examples of formula inputs that can change: SalesRep name like: Luong, Sales amount like: 100, Tax Rates like: 0.0375 or 3.75%, Sales Hurdles like: >500.
 - Examples of formula inputs that will not change: Months in a year: 12, Hours in a day: 24, Days in a week: 7.

Formatting:

- Number Formatting is a façade:
 - Number Formatting displays a number in a certain way on the surface of the cell, without changing the underlying number
 - Formulas do not see Number Formatting. Formulas act on the underlying number.
 - You must use the ROUND function to change the underlying number and actually round the number.
- Style Formatting = Fill Color, Font Color, Borders and more (Not Number Formatting)

Creating formulas

- All formulas start with an = sign as the first character in the cell
- Cell references are used in formulas to refer to cells with numbers and other content, like K2 or C7:J7
- Relative Cell References = when you copy formula, the cell reference moves relative the cell with the formula
- Absolute Cell Reference is created with F4 key. A \$ sign is put in front of column reference and row reference, so cell reference will not move throughout copy action.
- Enter cell references into formula with Mouse or Arrow Keys
 - o Arrows keys are fast when the cell is close
 - \circ $\:$ Use Mouse when cell is not close.
- Alt + = = SUM Function
- F2 = put cell in Edit Mode and place cursor at end of formula
- F4 = when cursor touching cell reference in Edit Mode, F4 adds dollar signs to lock the row and column references
- Tab = when function name is highlighted in blue, Tab, enters the function into the formula

Types of Formulas

- Aggregate calculation formulas
 - Aggregate = From many numbers (range or array) to calculate one answer
 - Examples: SUM to get a total or AVERAGE to calculate the average (mean: add up and divide by the count)
- Single-Input Single-Output formulas (Old School Formulas)
 - Because a single input is placed on either side of an operator, or in a function argument, the formula can only deliver a single answer.
 - It takes more effort to create single-input single-output formulas because:
 - You have to lock cell references
 - You have to manually copy formulas
 - Editing must be done in top cell and then you must re-copy formula through range.
- Dynamic Spilled Array Formulas (DSAF):
 - An array formula is a formula where there is two or more items (in a range or an array) on either side of the operator (like math * or /, or in a function argument) are then causes the formula to deliver more than one answer that spills to the cells below the cell with the formula.
 - A Dynamic Spilled Array Formula is "dynamic" because if the results expand or contact, the spilled range expands or contracts.
 - Benefits of DSAF:
 - Usually do not have to lock cell references
 - Do not have to manually copy formula
 - Editing is only done in top cell
 - Characteristics of DSAF:
 - Formula only lives in top cell
 - Cells below top cell show ghost formulas, but do not actually have a formula in the cell
 - When making a formula you can refer to any cell in the dynamic spilled range with a cell reference
 - If you type data in the path of the spilled array, you get a #SPILL! Error

Functions shown in video:

- **ROUND**(number,num_digits) = **Round a number**.
 - number = Number that you want to round.
 - num_digits = Position that you want to round to. 4 = 4th position to the right of the decimal. 2 = to the penny. 0 = to the dollar.
- **IFERROR**(value, value_if_error) = **replace error with value**.
 - value = the value that is checked for an error.
 - value_if_error = The value to return if the formula evaluates to an error. The following error types are evaluated: #N/A, #VALUE!, #REF!, #DIV/0!, #NUM!, #NAME?, or #NULL!.
- SUM(number1, [number2], ...) = adds numbers to get a total.
 - Number1 Required = The first number, cell reference, or range for which you want the average.
 - Number2, ... Optional = Additional numbers, cell references or ranges for which you want the average, up to a maximum of 255.

- AVERAGE(number1, [number2], ...) = Returns the average (arithmetic mean) of the arguments (add numbers then divide by the count)
 - Number1 Required = The first number, cell reference, or range for which you want the average.
 - Number2, ... Optional = Additional numbers, cell references or ranges for which you want the average, up to a maximum of 255.
- XLOOKUP(lookup_value,lookup_array,return_array,[if_not_found],[match_mode],[search_mode]) = Lookup a value.



Page Setup:

- Page Setup dialog box = Page Layout Ribbon tab, Page Setup group, Dialog Launch arrow in lower right corner (keyboard = Alt, P, S, P)
- Tabs in page setup dialog box:
 - o Page
 - o Margins
 - Header/Footer
 - o Sheet

Useful keyboards:

- Ctrl + B = Bold and Ctrl + U = Underline
- Ctrl + ; = Todays Date
- Ctrl + * (Ctrl + Shift + 8) = select current range (everything until it bumps into all empty cells)
- Ctrl + Arrow will jump selected cell down to last cell with data
- Ctrl + Shift + Arrow will select range down to last cell with data
- Ctrl + 1 = open Format Cells dialog box
- Shift Selection Trick: Click cell, hold Shift, Click last cell to highlight everything in between
- Ctrl Selection Trick: Click cell, hold Ctrl, Click other cell to highlight cells that are not next to each other (noncontiguous cells)

Video Example

	Α	В	С	D	E	F	G	H	Î.	J	K	L	M	N	O F	Q	R
1															-	anta anta tana	
2													Total	Extra Credit			
3		Max Points	50	50	50	50	50	50	100	75	75	200	750	5	i		
4			-	-										7	100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100		
5		Student Name	Test 1	Test 2	Test 3	Test 4	Test 5	Test 6	MidTerm	Test 6	Test 7	Final	Total	% Grade	Decimal Grade	% Grade	Decimal Grade
6		Mohamed Aziz	50	49	48	49	50	33	82	50	73	175	664	0.885333333	3.4	0	0
7		Timmy Cartman	22	36	41	33	20	48	43	40	31	142	461	0.614666667	1.5	0.450	0.5
8		Gigi Gabar	26	30	10	37	29	14	99	62	0	184	496	0.661333333	1.9	0.465	0.6
9		Miki Ito	41	39	38	31	37	48	77	74	70	192	652	0.869333333	3.2	0.480	0.7
10		Shinnay Mims	46	45	41	45	49	50	85	75	75	182	698	0.930666667	3.7	0.495	0.8
11		Kenny Noline	46	48	46	50	48	44	99	70	68	191	715	0.953333333	3.8	0.510	0.9
12		Lin Pham	15	29	22	31	37	11	55	42	36	87	370	0.493333333	0.7	0.525	1
13		Dean Washington	48	49	48	45	43	45	98	71	69	195	716	0.954666667	3.8	0.540	1.1
14		Average	37	41	37	40	39	37	80	61	53	169	597	0.795333333	2.75	0.555	1.2
15		9.7 - 1987.9 - 10							·0 -0							0.570	1.3
16		Formula in cell M3:	: =SUM(C3:	L3)												0.585	1.4
17	Formula in cell M6: =SUM(C6:L6)+\$N\$3 OR: Formula in cell M6: =BYROW(C6:L13,SUM)+N3													0.600	1.5		
18		Formula in cell N6:	=M6/\$M\$3	3												0.615	1.6
19		Formula in cell O6:	=XLOOKUP	(N6:N13,Q	5:Q40,R6:R4	40,,-1)										0.630	1.7
20	Formula in cell C14: =AVERAGE(C6:C13) OR: Formula in cell C14: =BYCOL(C6:L13,AVERAGE)														0.645	1.8	
21													Bottom of	lookup table:		0.660	1.9
22	1															0.675	2
23														0.840	3.1	0.690	2.1
24														0.855	3.2	0.705	2.2
25														0.870	3.3	0.720	2.3
26														0.885	3.4	0.735	2.4
27														0.900	3.5	0.750	2.5
28														0.915	3.6	0.765	2.6
29														0.930	3.7	0.780	2.7
30														0.945	3.8	0.795	2.8
31														0.960	3.9	0.810	2.9
32														0.975	4	0.825	3